

GLOBAL WARNING:

Climate Change and Farm Animal Welfare

A Report by Compassion in World Farming – 2008

Revised 2009

Photo: © Compassion in World Farming / Amit Pasricha

EXECUTIVE SUMMARY

Livestock production is responsible for 18% of global greenhouse gas (GHG) emissions from all human activities.¹ This is a higher share than transport, which accounts for 14% of global GHG emissions.² Nitrous oxide and methane emissions from animal manure, methane emissions from the animals' digestion and nitrous oxide emissions from mineral fertiliser used to grow feed-crops for farmed animals make up the majority of this 18%. The livestock sector is responsible for the following proportions of global anthropogenic emissions of the main greenhouse gases:

- 37% of total methane (CH₄) emissions
- 65% of nitrous oxide (N₂O) emissions
- 9% of carbon dioxide (CO₂) emissions.¹

In addition, 64% of ammonia emissions originate in livestock production¹ and contribute to air, soil and water pollution, acid rain and damage to the ozone layer. According to the Food and Agriculture Organization of the United Nations (FAO), "The livestock sector has such deep and wide ranging impacts that it should rank as one of the leading focuses for environmental policy."³

Meat and milk are currently underpriced in relation to their real environmental and carbon costs. It is essential that the true costs of the livestock industry in relation to climate change are reflected in costs and prices in developed countries.

Compassion in World Farming believes that high-income, developed countries have a situation of unsustainable overproduction and over-consumption of animal products (meat, milk and eggs). We argue that a planned and well-managed reduction in the production and consumption of meat and milk in developed countries, such as those of the European Union, is an essential step in

order to help stabilise climate change. We believe that this reduction will have many beneficial side effects for both people and animals and will open up new opportunities to reformulate our food production policies.

Unsustainable levels of animal production

The FAO predicts that between 2001 and 2050, global meat and milk consumption will approximately double.¹ At present, nearly 60 billion animals a year are used globally to produce meat, milk and eggs.⁴ This figure could rise to 120 billion by 2050. Such a marked upsurge would have an overwhelming impact on climate change and the environment.

Most of the world's animal production is carried out in industrial systems that make very heavy demands on natural resources of land and water in order to grow feed-crops for farmed animals. Industrial animal production also causes widespread pollution from animal manure and from the use of fertiliser, pesticides and herbicides. The FAO reports that industrial animal production systems are increasing at six times the rate of traditional mixed farming systems and at twice the rate of grazing systems.⁵ At least 50% of the world's pigmeat and over 70% of the world's poultry meat and eggs are produced in industrial systems.^{6,7}

Livestock-related GHG emissions are expected to continue to increase rapidly up to mid-century if no action is taken to curb them. The US Environmental Protection Agency (EPA) considers the key factors in the growth of nitrous oxide and methane emissions to be "the growth in livestock populations... and the trend toward larger, more commercialised livestock management operations."⁸ Emissions from pig slurry and poultry manure are expected to grow strongly as industrialised pig and poultry production expands globally.⁸

Environmental impact of industrialised animal production

Livestock production for meat, milk and eggs uses up an important share of world resources. One third of the world's total arable land is dedicated to animal feed-crop production;⁹ over 90% of the world's soya beans and 60% of maize and barley are grown for livestock feed.⁹ Deforestation is a major cause of CO₂ emissions and loss of biodiversity. Deforestation in South America is largely driven by livestock production; 70% of previously forested land has been converted to livestock pastures and much of the remainder is used to grow feed-crops (soya or cereals).^{3,9,10}

Soya production for feed has tripled since the mid-1980s, often by expansion into new land.⁹ Feed-crops are taking over increasingly scarce pasture land, leading to overgrazing and potential desertification of existing and marginal grazing areas.⁷ Desertification already affects the livelihoods of more than 25% of the world's population.¹¹ According to the FAO, "feed production consumes large amounts of critically important water resources and competes with other usages and users."¹²

Overproduction of livestock will only exacerbate the damage to food production and the environment due to global warming, such as more frequent droughts, floods, storms and harvest failures. In addition, it damages animal welfare, as more animals are subjected to intensive (factory farm) rearing systems, and human health in those countries where there is over-consumption of animal-based foods.

High global warming potential of animal-based diets

Meat and dairy production account for 13.5% of total GHG emissions in the EU25.^{13,14} In the UK, meat and dairy account for 8% of total UK emissions, compared to 2.5% for fruit and vegetables.^{14,15} The real global warming potential of meat and dairy production in Europe is even higher than these figures suggest if we include important

indirect effects such as deforestation in South America to grow soya beans for animal feed.¹⁵ Diets high in meat and dairy products have much lower energy efficiency and a greater global warming potential compared to diets high in plant-based foods.¹⁴⁻²⁰ The energy input for one portion of cooked pork can be three times greater than the energy input for a portion of cooked beans or pulses.²¹

Choices about diet can affect an individual's carbon footprint as significantly as choices about transport. Increasing the proportion of meat and dairy products in an individual's diet can be equivalent to the difference between a year's use of a standard car versus an ultra-efficient hybrid.^{18,22}

These facts have implications for governmental GHG reduction strategies and targets and for the choices made by any individual consumer in order to reduce his or her carbon footprint. Diets high in animal products increase GHG emissions and increase an individual's carbon footprint. Diets high in plant products save energy and reduce an individual's carbon footprint.

Why a reduction in meat and milk production is essential

Strategies proposed by the Intergovernmental Panel on Climate Change (IPCC) to reduce livestock-related GHGs could probably only reduce emissions by less than 20%.²³ These strategies include reforestation, restoration of carbon soils, more careful and targeted use of fertilisers and disposal of manure.^{1,24} Such measures are clearly necessary, but are unlikely to make a large enough reduction in GHG emissions in a short time period. Other proposed strategies aim at the digestion or excretion of the animals themselves, such as feeding more grain and less forage (to reduce methane production) or chemical treatment of the animals. These could be very problematic if they lead to adverse effects on the animals' digestion or health. In any case, they are unlikely to be feasible for the majority of small farmers globally.

The leading sources of livestock-related GHG emissions originate in the natural biological processes of each animal (digestion, excretion).¹ A reduction in the size of the livestock industry in developed countries is therefore the simplest, quickest and probably the only effective method of cutting GHGs from animal production to the extent that is necessary to limit the future increase in global warming.

Why intensive animal production is the wrong answer

Some agriculturalists propose intensifying animal production in order to increase yield per animal and hence reduce the GHG emissions per unit of output. Compassion in World Farming considers that intensification is a deeply flawed strategy from the point of view of halting climate change and from environmental and animal welfare considerations. It would also be ethically and politically unacceptable to consumers in developed countries, where concern about the welfare and environmental effects of farming, and the demand for free-range and organic animal products, is fast increasing.

Intensification would almost certainly mean an increase in factory farming of pigs and poultry and a reduction in free-range animals, including grazing cattle and sheep. It would often be counterproductive as already high-yielding animals would be pushed even further for higher yields, leading to increased stress and ill-health, shorter productive lifetimes of dairy cows and breeding sows and increased potential for the spread of infectious disease. The increased demand for feed would put more pressure on land and water resources globally and increase pollution from manure and agrochemicals.

Compassion in World Farming believes that, rather than calling for “more of the same”, agriculturalists and policy makers should look afresh at the whole issue of how we should rear animals for food in ways that protect the nutritional needs of people, the livelihoods of farmers, the welfare of farmed animals and the global climate and environment.

Benefits for human health

Recent estimates from public health experts suggest that a reduction of around 60% in daily intake of meat in developed countries would help reduce excess weight and obesity and offer other health benefits to individuals and society.²³ Reducing consumption of red and processed meats is also recommended by the World Cancer Research Fund in its 2007 Report, which cites these meats as convincing causes of colorectal cancer.²⁵

Proposed targets and strategy for meat and dairy reduction in Europe

In line with current UK and European GHG emission reduction targets, which may need to be increased in view of new scientific evidence, Compassion in World Farming believes that the European Union and other high-income, developed countries should reduce production and consumption of meat and milk to one third below current levels over the next decade (by 2020) and to at least 60% below current levels by 2050.²⁶

Under our proposals:

- Consumers would eat a lower volume of higher quality meat and milk, preferably from local farmers. Farmers would earn a premium for their products, and higher prices would reflect the carbon costs of consuming meat and milk.
- A reduction of one third would be roughly equivalent to an individual who eats meat daily, eating meat on only five days a week, or alternatively reducing portion sizes of meat and dairy products and substituting plant-based foods such as pulses, grains, vegetables and fruit.
- Farmers would be enabled to reduce stocking density, move from intensive to extensive methods and raise animal welfare standards up to the best free-range and organic farming standards of today, while protecting their livelihoods.

- Imported products should be required to meet the same standards. Governmental and intergovernmental targets and incentives for both producers and consumers would be needed to support this transition, including protecting the purchasing power of low-income consumers.
- Farmers in developing countries would be assisted in meeting similar animal welfare standards so that their own farming methods would avoid the pitfalls of industrialisation of livestock production and their surpluses could be exported.

The benefits of this strategy are many, in addition to going a long way to meet the urgent task of reducing GHG emissions:

- A significant reduction in meat and dairy consumption would improve public health and reduce the prevalence of obesity, certain heart conditions and cancers. This would have a positive impact on related health care costs.
- Localisation of animal production and consumption would support rural communities and businesses.
- Reduction in demand for animal feed would allow a reduction in the intensity of arable farming and increase farmland biodiversity.
- The strategy would also lead to the end of animal factory farming and enable a revolution in standards of farm animal welfare.

REFERENCES

- ¹ **Steinfeld, H., Gerber, P., Wassenaar, T., Castel, V., Rosales, M. and de Haan, C., 2006.** *Livestock's Long Shadow: environmental issues and options.* Food and Agriculture Organization of the United Nations, Rome, Italy, ppxx-xxiv.
<http://www.fao.org/docrep/010/a0701e/a0701e00.HTM>
- ² **Stern, N., 2006.** *Stern Review on The economics of climate change.* HM Treasury and Cabinet Office 2006. Part III, Ch.7.
http://www.hm-treasury.gov.uk/independent_reviews/stern_review_economics_climate_change/sternreview_index.cfm
- ³ **Steinfeld, H., Gerber, P., Wassenaar, T., Castel, V., Rosales, M. and de Haan, C., 2006.** *Livestock's Long Shadow: environmental issues and options.* Food and Agriculture Organization of the United Nations, Rome, Italy, ppxiv.
<http://www.fao.org/docrep/010/a0701e/a0701e00.HTM>
- ⁴ **FAOSTAT, 2006.** Food and Agriculture Organization of the United Nations (FAO) Animal production online database FAOSTAT.
<http://faostat.fao.org/default.aspx>
- ⁵ **FAO, no date.** *Protecting Animal Genetic Diversity for Food and Agriculture. Time for Action.* Animal genetic resources group, FAO, Rome.
<http://dad.fao.org/cgi-bin/getblob.cgi?sid=2306173a68b7f2af6efeca2d4a86b12e,1>
- ⁶ **Halweil, B., Mastry, L., Assadourian, E., Worldwatch Institute and Starke, L., 2004.** *State of the World, 2004: a Worldwatch Institute report on progress toward a sustainable society.* W. W. Norton & Co, London, UK.
- ⁷ **Steinfeld, H., Gerber, P., Wassenaar, T., Castel, V., Rosales, M. and de Haan, C., 2006.** *Livestock's Long Shadow: environmental issues and options.* Food and Agriculture Organisation of the United Nations, Rome, Italy, pp79-124.
<http://www.fao.org/docrep/010/a0701e/a0701e00.HTM>
- ⁸ **United States Environmental Protection Agency (EPA), 2006.** *Global Anthropogenic Greenhouse Gas Emissions: 1990 – 2020.* EPA.
<http://www.epa.gov/nonco2/econinv/international.html>
- ⁹ **Steinfeld, H., Gerber, P., Wassenaar, T., Castel, V., Rosales, M. and de Haan, C., 2006.** *Livestock's Long Shadow: environmental issues and options.* Food and Agriculture Organization of the United Nations. Rome, Italy, pp23-78.
<http://www.fao.org/docrep/010/a0701e/a0701e00.HTM>
- ¹⁰ **Stern, N., 2006.** *Stern Review on The economics of climate change.* HM Treasury and Cabinet Office. Annex 7.f.
http://www.hm-treasury.gov.uk/independent_reviews/stern_review_economics_climate_change/sternreview_index.cfm
- ¹¹ **Kéfi, S., Rietkerk, M., Alados, C. L., Pueyo, Y., Papanastasis, V. P., ElAich, A. and de Ruiter, P. C., 2007.** Spatial vegetation patterns and imminent desertification in Mediterranean arid ecosystems. *Nature*, **449**: 213-217.
- ¹² **Steinfeld, H., Gerber, P., Wassenaar, T., Castel, V., Rosales, M. and de Haan, C., 2006.** *Livestock's Long Shadow: environmental issues and options.* Food and Agriculture Organisation of the United Nations. Rome, Italy, pp125-180.
<http://www.fao.org/docrep/010/a0701e/a0701e00.HTM>

- ¹³ Tucker, A., Huppel, G., Guinée, J., Heijungs, R., de Koning, A., van Oers, L., Suh, S., Geerken, T., van Holderbeke, M., Jansen, B. and Nielsen, P., 2006. *Environmental impact of products (EIPRO). Analysis of the life cycle environmental impacts related to the final consumption of the EU25*. European Commission, Technical Report EUR 22284 EN. http://ec.europa.eu/environment/ipp/pdf/eipro_report.pdf
- ¹⁴ Garnett, T., 2007. *Food and Climate Change: the world on a plate*. Food Climate Research Network, University of Surrey, UK. <http://www.fcrn.org.uk/frcnresearch/presentations/PDFs/FCRN%20generic%20ppt.ppt>
- ¹⁵ Garnett, T., 2007. *Meat and Dairy Production and Consumption. Exploring the livestock sector's contribution to the UK's greenhouse gas emissions and assessing what a less GHG-intensive system of production and consumption might look like*. Draft working paper. Food Climate Research Network, University of Surrey, UK. <http://www.fcrn.org.uk/frcnPubs/publications/PDFs/TG%20FCRN%20livestock%20final%206%20Nov%20.pdf>
- ¹⁶ Foster, C., Green, K., Bleda, M., Dewick, P., Evans, B., Flynn, A. and Mylan, J., 2006. *Environmental impacts of food production and consumption: A report to the Department of Environment, Food and Rural Affairs*. Manchester Business School. Defra, London.
- ¹⁷ Garnett, T., 2007. *Food and Climate Change: the world on a plate*. Food Climate Research Network, University of Surrey, UK, citing: Carlsson-Kanyama, A., 1998. Climate change and dietary choices - how can emissions of greenhouse gases from food consumption be reduced? *Food Policy*, **23**: 277-293. <http://www.fcrn.org.uk/frcnresearch/presentations/PDFs/FCRN%20generic%20ppt.ppt>
- ¹⁸ Eshel, G. and Martin, P. A., 2006. *Diet, energy and global warming*. *Earth Interactions*, **10**: 1-17. <http://geosci.uchicago.edu/~gidon/papers/nutri/nutriEl.pdf> and <http://geosci.uchicago.edu/~gidon/papers/nutri/nutri.html>
- ¹⁹ Ogino, A., Orito, H., Shimada, K. and Hirooka, H., 2007. Evaluating environmental impacts of the Japanese beef cow-calf system by the life cycle assessment method. *Animal Science Journal*, **78**: 424-432.
- ²⁰ Williams A. G., Audsley E. and Sandars, D. L., 2006. *Determining the environmental burdens and resource use in the production of agricultural and horticultural commodities*. Main Report. Defra Research Project IS0205, Defra, London, UK.
- ²¹ Carlsson-Kanyama, A., Pipping Ekström, M. and Shanahan, H., 2003. Food and life cycle energy inputs: Consequences of diet and ways to increase efficiency. *Ecological Economic*, **44**: 293-307.
- ²² Sherman, B., 2007. Factoring meat into our carbon footprint. *ONLINE Opinion. Australia's e-journal of social and political debate*. <http://www.onlineopinion.com.au/view.asp?article=6167>
- ²³ McMichael, A. J., Powles, J. W., Butler, C. D. and Uauy, R., 2007. Food, livestock production, energy, climate change, and health. *The Lancet*, **370**: 1253-1263.
- ²⁴ IPCC, 2007. Summary for Policy Makers. *In: Climate Change 2007: Mitigation. Contribution of Working Group III to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*, B, Metz, O. R. Davidson, P. R. Bosch, R. Dave and L. A. Meyer (eds.), Cambridge University Press, Cambridge, UK.
- ²⁵ World Cancer Research Fund and the American Institute for Cancer Research, 2007. *Food, Nutrition, Physical Activity, and the Prevention of Cancer: a global perspective*. www.dietandcancerreport.org
- ²⁶ Defra Draft Climate Change Bill. Consultation document. Department of Food and Rural Affairs (Defra). March 2007.

GLOBAL WARNING:

Climate Change and Farm Animal Welfare

A Report by Compassion in World Farming – 2008

Revised 2009

ISBN 1-900155-49-0

“Please eat less meat – meat is a very carbon intensive commodity.”

Dr Rajendra Pachauri, 15 January 2008, Paris.

Chair of the Intergovernmental Panel on Climate Change (IPCC)

and joint winner of the Nobel Peace Prize 2007

(Reported by ABC News)

CONTACT US

Compassion in World Farming

River Court

Mill Lane

Godalming

Surrey

GU7 1EZ

UK

Tel: +44 (0) 1483 521 950


Email: compassion@ciwf.org.uk

Web: ciwf.org.uk

Registered Charity No.1095050

A company limited by guarantee No. 04590804



 100% post consumer reclaimed material.
FSC 100% Recycled product, supporting responsible use of forest resources.

COMPASSION
in world farming 
ciwf.org